






















HEATROBO 1200S(HRD-01S)
电磁式加热器对应表
○: 可加热 X: 不可加热
▲: 请取下定位板, 抬高本体后使用。→P.210




缩略图	编码	图	φD	φC	t	L	M	L ₁	L ₂	φC ₁	φC ₂	φC ₃	φD ₁	H	h	Kg	N	S
1	A100-SLSA 3-110-M 42	1	3	6	1.5	110	42	39	—	10.4	26	—	4	9	80	2.2	19.8	9.4
4	-135-M 67					135	67			13					105	2.3	20.9	15.1
2	-140-M 42					140	42	69		10.4					110		19.9	10.1
5	-165-M 67					165	67			13	25				135		21.0	16.0
7	-M 97						97	39		16.2	26						22.2	21.0
3	-170-M 42	2				170	42	33	66	10.4		40			140	2.6	20.2	10.0
6	-195-M 67					195	67			13					165		21.3	15.9
8	-M 97	1					97	69	—	16.2		—				2.4	22.3	22.5
9	-225-M 97	2				225		33	66			40			195	2.7	22.6	22.2
10	-SLRA 3- 90-M 22	1	3	7.5	2.25	90	22	39	—	9.8	26	—	4	9	60	2.2	20.2	2.9
13	-110-M 42					110	42			11.9					80		20.6	5.5
11	-120-M 22					120	22	69		9.8	25				90		20.3	3.3
16	-135-M 67					135	67	39		14.5	26				105	2.3	21.4	9.0
14	-140-M 42					140	42	69		11.9					110		20.7	6.1
12	-150-M 22	2				150	22	33	66	9.8		40			120	2.6	20.6	3.2
17	-165-M 67	1				165	67	69	—	14.5		—			135	2.4	21.5	10.1
19	-M 97						97	39		17.7						2.3	22.4	13.1
15	-170-M 42	2				170	42	33	66	11.9		40			140	2.6	21.0	6.0
18	-195-M 67					195	67			14.5					165		21.8	9.9
20	-M 97	1					97	69	—	17.7		—				2.4	22.5	14.7
22	-M127						127	39		20.8	36						24.5	15.8
21	-225-M 97	2				225	97	33	66	17.7	26	40			195	2.7	22.8	14.4
23	-M127	1					127	69	—	20.8	36	—				2.6	24.6	16.4
24	-255-M127	2				255		28	71			50			225	3.2	24.9	16.3
25	-SLFB 3- 90-M 22	1	3	9.5		3.25	90	22	39	—	11.8	26	—	4	9	60	2.2	19.8
28	-110-M 42				110		42			13.9					80	2.3	20.3	3.3
26	-120-M 22				120		22	69		11.8					90		19.9	2.3
31	-135-M 67				135		67	39		16.5					105		21.4	5.5
29	-140-M 42				140		42	69		13.9	25				110	2.2	20.4	4.1
27	-150-M 22	2			150		22	33	66	11.8	26	40			120	2.6	20.2	2.3
32	-165-M 67	1			165		67	69	—	16.5		—			135	2.4	21.5	6.5
30	-170-M 42	2			170		42	33	66	13.9		40			140	2.6	20.7	3.9
33	-195-M 67				195		67			16.5					165		21.8	6.3

φ4 SLSA 壁厚 t = 1.5












φ4 SLRA 壁厚 t = 3







φ4 SLFB 壁厚 t = 4






φ6 SLSA 壁厚 t = 1.5












φ6 SLSB 壁厚 t = 2























φ6 SLRB 壁厚 t = 4



φ6 SLFB 壁厚 t = 4



φ8 SLSA 壁厚 t = 1.5



φ8 SLSB 壁厚 t = 2.5

